

Telephone : +66 2287 8202  
AFS : VTBDYNYX  
Facsimile : +66 2287 8205  
E-MAIL : vtbdynyx@aerothermal.co.th  
www.aerothermal.co.th

THAILAND  
INTERNATIONAL NOTAM OFFICE  
AERONAUTICAL INFORMATION MANAGEMENT CENTRE  
AERONAUTICAL RADIO OF THAILAND  
P.O.BOX 34 DON MUEANG  
BANGKOK 10211 THAILAND

NOTAM LIST  
SERIES A

REFERENCE NO. VTBDYNYX  
6/19  
01 JUN 2019

The following **NOTAM series A** were **still valid on 01 JUN 2019**, NOTAM not included have either been cancelled, time expired or superseded by AIP supplement or incorporated in the AIP-THAILAND.

**VTBB (BANGKOK (ACC/FIC/COM CENTRE))**

**A3323/12** 1211031335/PERM FLIGHT DATA MANAGEMENT CENTER (FDMC) HAS BEEN ESTABLISHED TO CENTRALIZED FLIGHT PLAN AND DISTRIBUTION SERVICE UNDER AERONAUTICAL INFORMATION MANAGEMENT CENTER, AERONAUTICAL RADIO OF THAILAND LIMITED. THE FDMC SHALL COVER ALL AIR TRAFFIC SERVICES WITH IN BANGKOK FLIGHT INFORMATION REGION.

PROCESSING OF THE FLIGHT PLANS

1. THE FLIGHT PLAN ORIGINATOR IS RESPONSIBLE FOR

1.1 COMPLETE AND CORRECT DATA

1.2 CHECKING FLIGHT PLAN ENSURE RECEIPT OF THE MESSAGE AT FDMC TERMINAL. FDMC WILL BE INFORMED ACCEPTANCE FLIGHT PLAN LIST.

2. CONTENTS OF A FLIGHT PLAN

A FLIGHT PLAN SHALL COMPRISE INFORMATION REGARDING SUCH OF THE FOLLOWING ITEMS AS ARE CONSIDERED RELEVANT BY THE APPROPRIATE ATS AUTHORITY AS SPECIFIC IN PANS-ATM, DOC 4444 ICAO FPL FORMAT.

3. ADVANCE TIMES FOR THE FILLING OF FLIGHT PLAN

3.1 FLIGHT PLAN SHALL BE FILED 120 HOURS AND/OR 5 DAYS AT THE EARLIEST, AND 60 MINUTES AT THE LATEST PRIOR TO THE ESTIMATED OFF-BLOCK TIME

3.2 FOR FLIGHTS INTO AREAS FOR WHICH ATFM MEASURES HAVE BEEN ESTABLISHED, FLIGHT PLAN SHALL BE FILED NOT LATER THAN 3 HOURS PRIOR TO THE ESTIMATED OFF-BLOCK TIME

3.3 THE REGULATIONS REMAIN UNAFFECTED WHICH ESTABLISHED THE FILLING OF A FLIGHT PLAN FOR CERTAIN FLIGHT AT

4. FILLING OF FLIGHT PLAN AND FLIGHT PLAN MESSAGES WITH FDMC

4.1 FLIGHT PLANS AND ASSOCIATED MESSAGE FILED DIRECTLY WITH FDMC WILL BE CHECKED BY FDMC AS REGARDS SYNTAX AND FORMAT ACCORDING TO ICAO FLIGHT PLAN FORMAT.

4.2 THE ORIGINATOR WILL BE INFORMED OF THE SUCCESSFUL PROCESSING OF FLIGHT PLANS AND FLIGHT PLANS ASSOCIATED MESSAGE WITHIN FDMC BY AN ACKNOWLEDGEMENT MESSAGE (ACK MESSAGE). FLIGHT PLANS, WHICH CANNOT BE PROCESSED BY FDMC OR NOT FOLLOW ICAO FPL FORMAT, WILL BE RETURNED TO THE ORIGINATOR TO BE CORRECTED ACCORDING TO REJECT MESSAGE (REJ) SENDING AUTOMATICALLY FROM FDMC SYSTEM

**A3443/12** 1211120000/PERM ICAO FLIGHT PLAN FORMAT CHANGE IN ACCORDANCE WITH AMENDMENT 1 TO 15TH EDITION OF PANS-ATM DOC4444 WILL BE APPLIED IN THE BANGKOK FIR ON 15 NOVEMBER 2012. WEF 1211120000 FLIGHT PLANS MAY BE FILED IN PRESENT OR NEW FORMAT WITH NEW BEING THE PREFERRED FORMAT, AIC 4/12 REFERS. FLIGHT PLANS WITH AN ESTIMATED OFF BLOCK TIME OF 150000 OR LATER MUST BE IN NEW FORMAT. FROM 1211150000 ONLY NEW  
FAX : +662 287 8868

**A4231/14** 1411041125/PERM FOR THE PURPOSE OF AIR TRAFFIC MANAGEMENT, FLIGHTS WITH RNAV5 CAPABILITY OPERATING BETWEEN BKK-CMA (VICE VERSA) ARE REQUIRED TO FILE FLIGHT PLAN ON Y6 AND Y7 AT FL290 AND ABOVE IN ADDITION ATS ROUTE A464 WILL BE AVAILABLE FOR FLIGHT PLANNING AT FL280 AND BELOW

**A1423/15** 1505290300/PERM FOR THE PURPOSE OF AIR TRAFFIC MANAGEMENT, FLIGHTS OPERATING ON ATS ROUTE A464 BETWEEN BKK-HTY (VICE VERSA) WILL BE AVAILABLE FOR FLIGHT PLANNING AT FL280 AND BELOW

**A0177/16** 1601290343/PERM REF AIRAC AIP SUP A7/15 ESTABLISHMENT OF THE AREA NAVIGATION (RNAV) ROUTES AND REVISION OF THE ATS ROUTES WITHIN BANGKOK FIR AMD AS FLW:  
3. FLIGHT PLANNING PROCEDURE  
3.2 INTERNATIONAL FLIGHT  
NO. : 7  
DESTINATION AERODROME : WMKK/WMSA/WMKI  
FLIGHT PLANNING : HTY A464 KARMI A464

**A0416/16** 1602291143/PERM REVISION OF THE ATS ROUTES WITHIN BANGKOK FIR.  
PLEASE BE INFORMED THAT THE EFFECTIVE DATE OF AIRAC AIP SUP B8/15 WILL EFFECTIVE ON MAR 31 2016

**A2266/16** 1610100000/PERM VFR REPORTING POINT FOR HELICOPTERS  
RAMA 7 BRIDGE WITHDRAWN  
REF AIP ENR 2.2-8, ENR 2.2-9, ENR 2.2-10, ENR 2.2-11 AND ENR 2.2-13

**A0106/17** 1701130310/PERM IMPLEMENTATION OF THE OPERATING PROCEDURES FOR UNI-DIRECTIONAL  
AIR TRAFFIC FLOW WITHIN BANGKOK FIR AMD AS FLW:  
NOTE:(2) EASTBOUND AIRCRAFT OPERATING ON M502 DESTINED FOR VTBD OR VTBS SHALL FILE LALIT P762 DWI L877  
MIGAR L524 IBETO ON FLIGHT PLAN  
REF AIRAC AIP SUP A32/16

**A0634/19** 1903130500/1906150800 RYN DVOR/DME 112.5MHZ/CH72X UNUSABLE ON RDL029 DIST 8-10 DME  
ALT 5500FT DUE TO ROUGHNESS OUT OF TOLERANCE

**A0648/19** 1903150325/1906152359 OPERATIONAL TRIAL OF AIR TRAFFIC MANAGEMENT IN THE HIGH DENSITY  
AND COMPLICATIONS OF AIR TRAFFIC WITHIN BANGKOK FIR AREA NAVIGATION ROUTE M770 PORTION PADET-GOLUD  
(VICE VERSA) BE SUSPENDED AT ALL TIME

**A0728/19** 1903280000/PERM REF AIRAC AIP AMDT 4/19 WEF 28 MAR 2019  
ITEM 4. FLIGHT PLANNING AND OPERATING PROCEDURE IMPLEMENTED IN BANGKOK FIR AMD AS FLW:  
REVISED ENR 1.10-3  
4.1.3 FLIGHTS DEPARTING FROM/ARRIVING VTSB, VTSG AND VTST  
A) RNAV5 APPROVED AIRCRAFT  
FROM TO ROUTE  
3. OVERFLY REGOS VTSB (...) REGOS W42 MENEX Y8 IKERA  
OVERFLY REGOS VTSG (...) REGOS W42 MENEX Y8 STN W32 NULMA  
OVERFLY REGOS VTST (...) REGOS W42 MENEX Y8 STN W24 TRN  
B) NON-RNAV5 APPROVED AIRCRAFT  
FROM TO ROUTE  
4. VTSB VTBS IKERA G458 HOTEL DCT LEBIM  
VTSG VTBS SARER W32 STN G458 HOTEL DCT LEBIM  
VTST VTBS TRN W24 STN G458 HOTEL DCT LEBIM  
5. VTSB VTBD IKERA G458 HOTEL DCT SABAI  
VTSG VTBD SARER W32 STN G458 HOTEL DCT SABAI  
VTST VTBD TRN W24 STN G458 HOTEL DCT SABAI  
6. VTSB OVERFLY BKK IKERA G458 BKK (...)  
VTSG OVERFLY BKK SARER W32 STN G458 BKK (...)  
VTST OVERFLY BKK TRN W24 STN G458 BKK (...)  
7. VTSB OVERFLY REGOS IKERA G458 MENEX W42 REGOS (...)  
VTSG OVERFLY REGOS SARER W32 STN G458 MENEX W42 REGOS (...)  
VTST OVERFLY REGOS TRN W24 STN G458 MENEX W42 REGOS (...)

**A0729/19** 1903280000/PERM REF AIRAC AIP AMDT 4/19 WEF 28 MAR 2019  
ITEM 4. FLIGHT PLANNING AND OPERATING PROCEDURE IMPLEMENTED  
IN BANGKOK FIR AMD AS FLW:  
REVISED ENR 1.10-4  
4.1.4 FLIGHTS DEPARTING FROM/ARRIVING VTSF  
B) NON-RNAV5 APPROVED AIRCRAFT  
TABLE 1  
FROM TO ROUTE  
2. OVERFLY BKK VTSF (...) BKK A464 GUPMO W94 NKS  
TABLE 2  
FROM TO ROUTE  
4. OVERFLY BKK VTSF (...) BKK A464 UPNEP W35 NKS

**A0730/19** 1903280000/PERM REF AIRAC AIP AMDT 4/19 WEF 28 MAR 2019  
ENR 1.10 FLIGHT PLANNING  
ITEM 4. FLIGHT PLANNING AND OPERATING PROCEDURE IMPLEMENTED  
IN BANGKOK FIR AMD AS FLW:  
REVISED ENR 1.10-5  
4.1.5 FLIGHTS DEPARTING FROM/ARRIVING VTSM  
A) RNAV5 APPROVED AIRCRAFT  
TABLE 2  
FROM TO ROUTE  
1. VTBS/VTBD VTSM KASNI M757 ASEKU W42 REGOS W32 SMU  
2. OVERFLY BKK VTSM (...) BKK M757 ASEKU W42 REGOS W32 SMU  
3. VTSM OVERFLY BKK SMU Y17 DONSI M769 BKK (...)  
4. VTBU VTSM BUT DCT ASEKU W42 REGOS W32 SMU  
5. VTSM VTBU SMU Y17 DONSI M769 SURMA W42 ASEKU DCT BUT  
6. VTSP VTSM ONETI W33 SMU  
B) NON-RNAV5 APPROVED AIRCRAFT  
TABLE 1

FROM TO ROUTE

13. VTSM VTBU SMU W99 TUSPU A464 REGOS W42 ASEKU DCT BUT
14. VTBU VTSM BUT DCT ASEKU W42 REGOS A464 UPNEP W33 SMU

TABLE 2

FROM TO ROUTE

1. VTBD/VTBS VTSM REGOS W32 SMU
2. OVERFLY BKK VTSM (...) BKK A464 REGOS W32 SMU
3. VTBU VTSM BUT DCT ASEKU W42 REGOS W32 SMU
4. VTSP VTSM ONETI W33 SMU
5. VTSM VTPH SMU W32 SUPOJ W31 HHN
6. VTPH VTSM HHN W31 SUPOJ W32 SMU

**A0732/19** 1903280000/PERM REF AIRAC AIP AMDT 4/19 WEF 28 MAR 2019

ENR 1.10 FLIGHT PLANNING

ITEM 4. FLIGHT PLANNING AND OPERATING PROCEDURE IMPLEMENTED

IN BANGKOK FIR AMD AS FLW:

REVISED ENR 1.10-6

4.1.6 FLIGHTS DEPARTING FROM/ARRIVING VTSE, VTSR

A) RNAV5 APPROVED AIRCRAFT

FROM TO ROUTE

2. VTSE VTBD CPN W34 MENEX W42 EGUBO Y99 HOTEL DCT SABAI
3. VTSE VTBS CPN W34 MENEX W42 SURMA Y98 LEBIM
5. VTSR VTBD RAN W34 MENEX W42 EGUBO Y99 HOTEL DCT SABAI
6. VTSR VTBS RAN W34 MENEX W42 SURMA Y98 LEBIM
- 4.1.7 FLIGHTS FROM KUALA LUMPUR FIR VIA M769 TO VTBD, VTBS OR BKK...  
FLIGHTS FROM VTSS OR VTSC TO VTBD, VTBS OR BKK...

B) NON-RNAV5 APPROVED AIRCRAFT

FROM TO ROUTE

2. OVERFLY HTY VTBS (...) HTY A464 GUTSO DCT LEBIM
3. OVERFLY HTY OVERFLY BKK (...) HTY A464 BKK (...)

**A0733/19** 1903280000/PERM REF AIRAC AIP AMDT 4/19 WEF 28 MAR 2019

ENR 3.1 ATS ROUTES-DOMESTIC

REVISED ENR 3.1-16

COLUMN DIRECTION OF CRUISING LEVELS FOR W32 AS FLW:

-PORTION REGOS-SUPOJ USE FOR SOUTHBOUND TFC ONLY AND ALTITUDE SHALL BE ODD LEVEL.

-PORTION SUPOJ-SMU BIDIRECTIONAL ROUTE, ODD LEVEL FOR SOUTHBOUND TFC AND EVEN LEVEL FOR NORTHBOUND TFC.

**A0797/19** 1904040235/1906292359 ESTABLISH NEW REPORTING POINT FOR HELICOPTERS

OPERATIONS IN BANGKOK CONTROL ZONE DETAILS AS FLW:

1. REPORTING POINT : RAMA 5 BRIDGE

LANDMARK : RAMA 5 BRIDGE

RADIAL/DME FROM BKK VOR : RDL239/6.9DME

LAT/LONG : 134958N1002943E

2. REPORTING POINT : MUEANG THONG THANI

LANDMARK : IMPACT ARENA BUILDING

RADIAL/DME FROM BKK VOR : RDL288/3.3DME

LAT/LONG : 135435N1003235E

3. THE VFR ENTRY AND EXIT PROCEDURES FOR HELICOPTERS OPERATING AT VTBD AS FLW:

3.1 DON MUEANG-SOUTHBOUND AND WESTBOUND

MUEANG THONG THANI-RAMA 5 BRIDGE

3.2 DON MUEANG-NORTHBOUND

MUEANG THONG THANI-PATUMTHANI

3.3 DON MUEANG (RTAF)-BANGYAI OR TPAD-BANGYAI OR

BANGKHEN-BANGYAI

CRIMINAL COURT-RAMA 5 BRIDGE-BANGYAI

**A0798/19** 1904040245/1906292359 ESTABLISH NEW REPORTING POINT FOR HELICOPTER

OPERATIONS IN BANGKOK CONTROL ZONE DETAILS AS FLW:

1. REPORTING POINT : BUENGBA

LANDMARK : BUENBAPRAPASAWAT TEMPLE

RADIAL/DME FROM BKK VOR : RDL045/20.0DME

LAT/LONG : 140750N1004938E

2. REPORTING POINT : SANABTUEB

LANDMARK : PETROLEUM AUTHORITY OF THAILAND

(PTT) OFFICE AT SANABTUEB

RADIAL/DME FROM BKK VOR : RDL027/27.0DME

LAT/LONG : 141745N1004831E

3. THE VFR ENTRY AND EXIT PROCEDURES

3.1 ENTRY DEPARTURE AERODROME-SANABTUEB-BUENGBA-LUMLOOKKA

3.2 EXIT LUMLOOKKA-BUENGBA-SANABTUEB-DESTINATION AERODROME

**A1028/19** 1905030625/1908012359 ESTABLISHMENT OF NEW CONTROL FREQ AND AIR TRAFFIC MANAGEMENT OPERATIONAL TRIAL WITHIN BANGKOK FIR FOR ATS ROUTES G463, L301,L507, L524, L877, M502 AND P646 TO INCREASE THE EFFECTIVENESS AIR TRAFFIC CONTROL SERVICES, FLIGHT OPEATING ON THE MENTIONED ROUTES SHALL CONTACT BANGKOK CONTROL FREQ 122.05MHZ AND DEPARTING AIRCRAFT SHALL CONTACT CLEARANCE DELIVERY CONTROL FREQ 128.7MHZ

**A1029/19** 1905030630/1908012359 ESTABLISHMENT OF AIR TRAFFIC MANAGEMENT OPERATIONAL TRIAL AND CONTROL FREQ WITHIN BANGKOK FIR FOR FLIGHT OPERATING WITHIN AN AREA BOUNDED BY STARTING POINT 161748.43N1004455.31E STRAIGHT LINE TO 163201.74N1004502.60E THENCE COUNTER CLOCKWISE ALONG 30NM ARC RADIUS CENTERED ON PSL VOR/DME (164613.34N1001728.70E) TO 170000N1004517.30E STRAIGHT LINE TO 173356.83N 1010000E THENCE CLOCKWISE ALONG BANGKOK/VIENTIANE FIR TO 175851N1030000E-160948N1030000E AND THENCE STRAIGHT LINE THE STARTING POINT (161748.43N1004455.31E) INCLUDING PORTION OF ROUTES R474, B346,G473,W15,W16,W26,W27,W40 EXCEPT UDON TMA, LOEI TMA AND PHETCHABUN TMA FLIGHT OPERATING ON THE MENTIONED ROUTES SHALL CONTACT BANGKOK CONTROL ON THE FOLLOWING ASSIGNED FREQ  
1. BTN 2330-1530 UTC FREQ 126.5MHZ  
2. BTN 1530-2329 UTC FREQ 124.5MHZ OR AS ASSIGNED BY ATC

**A1106/19** 1905130743/PERM VFR ENTRY AND EXIT PROCEDURES IN BANGKOK CONTROL ZONE  
1.1 GENERAL  
ADDN INFO DETAIL AS FLW:  
ITEM 1.1.6 UNDER SOME CIRCUMSTANCES, RADAR VECTORING MAY BE PROVIDED WHEN REQUESTED BY A PILOT OR WHENEVER DEEMED NECESSARY BY ATC IN THE INTEREST OF SAFETY AND WITH PILOT ACCEPTANCE. PILOT SHOULD, AS EARLY AS PRACTICABLE ADVISE ATC IF VMC CONDITIONS CANNOT BE MAINTAINED IN RADAR VECTORING ENVIRONMENT. ATC SHALL REQUEST PILOT INTENTIONS AND REVISE THE INSTRUCTION AS REQUESTED OR, IF UNABLE, ISSUE AN ALTERNATIVE CLEARANCE AS SOON AS POSSIBLE.  
REF AIP ENR 2.2-1

**A1107/19** 1905130750/PERM 1.2 VFR ENTRY AND EXIT PROCEDURES FOR LIGHT AIRCRAFT  
ITEM 1.2.2 AMEND AS FLW :  
FOR LIGHT AIRCRAFT WITH SPEED OF 130 KNOTS OR GREATER, ATC MAY EITHER AUTHORIZE THE AIRCRAFT TO FOLLOW THE PRESCRIBED VFR ENTRY AND EXIT PROCEDURES OR ASSIGN FLIGHT PATHS AND ALTITUDES. HOWEVER, PILOT HAS FINAL AUTHORITIES TO DECIDE WHETHER HE OR SHE WOULD COMPLY WITH IT BUT SHALL ALWAYS COMPLY WITH VISUAL FLIGHT RULES (VFR) AND PILOTS STILL HAVE FULL RESPONSIBILITY TO SEE AND AVOID OTHER TRAFFIC AS WELL AS MAINTAIN ADEQUATE DISTANCE FROM CLOUDS. SEPARATION SHALL BE PROVIDED IN ACCORDANCE WITH VISUAL FLIGHT RULES IN CLASS C AIRSPACE.  
REF AIP ENR 2.2-1

**A1115/19** 1905130955/1908161100 TEMPORARY REPORTING POINT NAME POXUN (064718.45N1010852.51E) WILL BE ESTABLISHED AT THE SAME COORDINATE OF PT NDB FOR ATS ROUTE W14 DUE TO PT NDB UNDER WITHDRAWAL UNTIL PT NDB RESUMED NORMAL OPERATION

**A1134/19** 1905150807/1908191000 ESTABLISHMENT OF NEW CONTROL FREQUENCY AND AIR TRAFFIC MANAGEMENT OPERATIONAL TRIAL WITHIN BANGKOK FIR FOR FLIGHTS OPERATING WITHIN AN AREA BOUNDED BY STRAIGHT LINES JOINING THE FOLLOWING POINTS 114006.5N0993448.7E-110006.8N1005948.1E-104130.0N1012502.0E-100244.0N1013740.6E-090239.8N1000012.9E-102334.0N0984513.6E THENCE CLOCKWISE ALONG BANGKOK/YANGON FIR TO THE STARTING POINT FROM FL270 TO FL460 INCLUDING PORTION OF ROUTES A464 G458 W19 W31 W32 W33 W34 W42 M751 M626 R575 FLIGHT OPERATING ON THE MENTIONED AREA/ROUTES SHALL CONTACT BANGKOK CONTROL THE FOLLOWING ASSIGNED FREQUENCIES  
1. BTN 2330-2030 UTC FREQ 118.35MHZ  
2. BTN 2030-2330 UTC FREQ 123.95MHZ OR AS ASSIGNED BY ATC

**A1135/19** 1905150813/1908191000 ESTABLISHMENT OF NEW CONTROL FREQUENCY AND AIR TRAFFIC MANAGEMENT OPERATIONAL TRIAL WITHIN BANGKOK FIR FOR FLIGHTS OPERATING WITHIN AN AREA BOUNDED BY STRAIGHT LINES JOINING THE FOLLOWING POINTS 064726.5N0995947.6E-062607.9N0995948.5E THENCE WESTWARD ALONG BANGKOK/KUALALUMPUR FIR TO 063007.9N0992948.9E-071507.7N0975949.5E-100006.9N0962950.1E-100006.9N0974918EPUT THENCE STRAIGHT LINES TO THE STARTING POINT INCLUDING PORTION OF ROUTES R325 B579 P627 L645 R203 L579 L515 FLIGHT OPERATING ON THE MENTIONED AREA/ROUTES SHALL CONTACT BANGKOK CONTROL ON THE FOLLOWING ASSIGNED FREQUENCY 133.9MHZ OR ASSIGNED BY ATC

**A1139/19** 1905230000/1906062359 TRIGGER NOTAM-PERM AIRAC AIP AMDT 6/19 WEF 23 MAY 2019  
GEN  
3.2 AERONAUTICAL CHARTS  
ENR  
1.10 FLIGHT PLANNING  
3.1 ATS ROUTES-DOMESTIC  
4.4 NAME-CODE DESIGNATORS FOR SIGNIFICANT POINTS  
AD  
-PHUKET/PHUKET INTERNATIONAL AIRPORT (VTSP)  
-BANGKOK/SUVARNABHUMI INTERNATIONAL AIRPORT (VTBS)

**A1163/19** 1905200000/1908132359 AIR TRAFFIC AND FLIGHT LEVEL MANAGEMENT OPERATIONAL TRIAL, DOMESTIC FLIGHT DEPART FM OR LAND AT VTBD VTBS AND VTBU, ATC WILL PLAN AND ASSIGN CRUISE ALTITUDE FL340 AND BELOW, OTHER DOMESTIC PAIR SUBJECT TO TRAFFIC CONDITIONS

**VTBD (BANGKOK/DON MUEANG INTL AIRPORT)**

**A4115/14** 1410290645/PERM DEPARTURES AT VTBD SHALL NORMALLY BE CLEARED IN THE ORDER IN WHICH THEY ARE READY FOR TAKE-OFF, EXCEPT THAT DEVIATIONS MAY BE MADE FROM THIS ORDER OF PRIORITY TO FACILITATE THE MAXIMUM NUMBER OF DEPARTURES WITH THE LEAST AVERAGE DELAY AND TO ENHANCE ENROUTE CAPACITY MANAGEMENT

**A1029/15** 1503310100/PERM IN ORDER TO OBTAIN THE GND MOV FLOW AND SAFETY OPS, LANDING AIRCRAFT SHALL VACATE RWY 21R AT/OR BEYOND TWY R (DIST OF RWY 21R FM THR TO INTERSECTION R IS 2510M). TWY O IS PLANNED FOR DEPARTURE AIRCRAFT TAXIING FM TWY B TO JOIN TWY C. ARRIVING AIRCRAFT MIGHT VACATE RWY 21R AT TWY O WITH APPROVAL FM DON MUEANG TWR OR IN CASE OF UNUSUAL SITUATIONS

**A1433/17** 1707200000/PERM FLIGHT PROCEDURE AT DON MUEANG INTERNATIONAL AIRPORT ITEM 7. TOTAL RADIO COMMUNICATION FAILURE FOR ARRIVAL AIRCRAFT A. INBOUND COURSE OF 029 AMD TO READ 209 REF AIRAC AIP SUP A17/17

**A0234/19** 1901260200/1906301000 DLY 0200-1000 ACFT STAND NR M24 AND NR M25 CLSD DUE TO WIP

**A0717/19** 1903260630/1906301000 TXL C BETWEEN TWY S TO TWY C SOUTH LIMITATION ONLY ACFT TYPE A,B,C

**A0740/19** 1903311700/1906301659 BIRD CONCENTRATION IN THE VICINITY OF AD  
TYPE OF BIRDS : GREY HERON, PURPLE HERON, OPEN-BILL STORK, BLACK-HEADED IBIS, BRAHMINY KITE, BLACK-SHOULDERED KITE, WHISTLING DUCK, SPOTTED OWLET, INTERMEDIATE EGRET, CATTLE EGRET, LITTLE EGRET, CHINESE POND HERON, BLACK-CROWNED NIGHT HERON, BARN OWL, LITTLE CORMORANT, INDIAN ROLLER, RED-WATTLED LAPWING, BLACK WINGED STILT  
BIRD WEIGHT : FM 300 UP TO 3000 GRAMS  
MAX FLOCK LARGE SIZE : 35 BIRDS

**A0805/19** 1904042200/1907041500 DLY 2200-1500 DON MUEANG A-CDM TRIAL OPERATION WILL TAKE PLACE AT DON MUEANG AIRPORT FROM 04 APRIL 2019 TO 04 JULY 2019 FROM 2200 TO 1500 UTC DAILY.

- DEPARTURE FLIGHTS FROM DON MUEANG AIRPORT WITH EOBT FROM 2200 TO 1500 UTC ARE REQUIRED TO PARTICIPATE IN THE TRIAL OPERATION.

- AIRCRAFT OPERATOR (AO) / GROUND HANDLER (GH) ARE TO REPORT AND UPDATE TOBT (TARGET OFF-BLOCK TIME) BY IDEP WEB-BASED APPLICATION (WWW.AEROTHAI.AERO) OR BY SMS VIA DIGITAL TRUNKED RADIO SYSTEM.

- TARGET START-UP APPROVAL TIME (TSAT) WILL BE CALCULATED AND DISTRIBUTED TO AIRCRAFT OPERATOR (AO) / GROUND HANDLER (GH) VIA THE SAME REPORTING CHANNELS AS TOBT.

- PILOT SHALL ENSURE THAT THE AIRCRAFT WILL BE READY AT TOBT FOR START-UP AND PUSH BACK. IN CASE OF SELF-MANEUVERING AUTHORIZED BY AIRPORT AUTHORITY, THE AIRCRAFT SHALL BE READY TO PUSH BACK THEN TAXI OR TAXI OUT FROM PARKING STAND.

- PILOT SHALL CONTACT GROUND CONTROL FOR START UP AND PUSH BACK WITH IN TSAT WINDOW (+/- 5 MINS).

- IF PILOT CONTACT GROUND CONTROL FOR START-UP AND PUSH BACK AFTER TSAT WINDOW, TSAT WILL BE EXPIRED. PILOT SHALL NOTIFY TO AO/GH TO UPDATE THE TOBT FOR A NEW TSAT.

- FOR DETAILED INFORMATION AND MANUAL, PLEASE CONTACT AT BKK.ACDM AT AEROTHAI.CO.TH

**A0853/19** 1904111240/PERM AD CONTROL SERVICES ARE PROVIDED AT TWR-S  
RMK : ABN AVBL ON TWR-S

**A0979/19** 1904290252/1907290800 ILS GP FREQ 333.2MHZ RWY 03L UNUSABLE BEYOND 6 DEG RIGHT SIDE OF LOC COURSE

**A1041/19** 1905031148/1908032359 OPERATIONAL IMPLEMENTATION TO ENHANCE SAFETY AND TRAFFIC FLOW IN BANGKOK FIR DEPARTING AND ARRIVING AIRCRAFT FM VTBD VIA VKB AND FM VKB TO VTBD ARE REQUIRED TO FILE FLIGHT PLAN AS FLW:

A) DEPARTING : KIGOB Y11 GOLUD M751 VKB OR KIGOB M904 PIDEL Y11 GOLUD M751 VKB

B) ARRIVING : VKB M644 ALUMO Y12 ALEMI

C) IN CASE OF VT D71 ACT : RYN M644 VKB AND VICE VERSA

**A1201/19** 1905230720/1908230200 DVOR/DME BKK 117.7MHZ/CH124X UNUSABLE DETAILS AS FLW:  
BEYOND 40NM

-ON RDL321-030 DEG ALT SHOULD NOT BELOW 2500FT

-ON RDL031-060 DEG ALT SHOULD NOT BELOW 4000FT

-ON RDL061-120 DEG ALT SHOULD NOT BELOW 3000FT

-ON RDL121-320 DEG ALT SHOULD NOT BELOW 4000FT

**A1238/19** 1905290845/1906301659 TXL B BTN ACFT STAND NR 45 AND NR 46 CLSD DUE TO WIP

**A1239/19** 1905290925/1906301659 THE CLOSURE OF TAXIWAY D AT DON MUEANG INTERNATIONAL AIRPORT EXTENDED TO 30 JUN 2019  
REF AIP SUP A6/19

**A1262/19** 1905310400/1906301659 TWY I LTD TO MAX ACFT CODE C DUE SEPARATION FM TWY CL TO  
CONST AREA REMAINING 28M

**A1272/19** 1905311700/1906062300 MAY 31 JUN 01 02 03 05 AND 06 1700-2300 RWY 03R/21L CLSD DUE TO WIP

**VTBS (BANGKOK/SUARNABHUMI INTL AIRPORT)**

**A2069/14** 1406100730/PERM IMPLEMENTATION OF PRE-DEPARTURE CLEARANCE(PDC)  
OVER DATA LINK AMD AS FLW  
ITEM 1.2 IMPLEMENTATION OF THE PDC OVER DATA LINK SERVICE IS EFFECTIVE 24 HOURS  
REF AIRAC AIP SUPPLEMENT A7/11

**A4114/14** 1410290640/PERM DEPARTURES AT VTBS SHALL NORMALLY BE CLEARED IN THE ORDER IN  
WHICH THEY ARE READY FOR TAKE-OFF, EXCEPT THAT DEVIATIONS MAY BE MADE FROM THIS ORDER OF PRIORITY TO  
FACILITATE THE MAXIMUM NUMBER OF DEPARTURES WITH THE LEAST AVERAGE DELAY AND TO ENHANCE ENROUTE  
CAPACITY MANAGEMENT

**A1616/17** 1707200638/PERM TO MINIMIZE TAXI-OUT DELAY AND REDUCE FUEL CONSUMPTION  
DURING PEAK HOURS OF TRAFFIC, GATE HOLD PROCEDURES FOR DEPARTING AIRCRAFT ARE IMPLEMENTED WITH  
THE FOLLOWING CONDITIONS. WHENEVER THERE ARE ABOUT FOUR DEPARTING AIRCRAFT AT THE RUNWAY  
HOLDING POSITION, AN EXPECTED PUSHBACK TIME WILL BE ISSUED TO SUBSEQUENT DEPARTING AIRCRAFT, WHICH  
IS READY FOR PUSHBACK. IN DETERMINATION OF EXPECTED PUSHBACK TIME, AN AIRCRAFT PARKING STAND  
AND TAXI TIME TO RUNWAY-IN-USE HOLDING POSITION WILL BE TAKEN INTO ACCOUNT. WHEN AN EXPECTED  
PUSHBACK TIME IS ISSUED, PILOTS ARE REQUESTED TO MONITOR ON A RELEVANT GROUND CONTROL FREQUENCY  
FOR UPDATES OF INFORMATION AND REVISIONS OF PUSHBACK TIME. IN SITUATION WHEN A DEPARTING AIRCRAFT  
IS OCCUPYING A GATE THAT HAS BEEN ASSIGNED TO AN ARRIVING AIRCRAFT, THE DEPARTING AIRCRAFT WILL BE  
INSTRUCTED BY GROUND CONTROL TO PUSH BACK ONTO THE TAXILANE OR TAXIWAY WITH NO ENGINE START-UP TO  
ALLOW THE ARRIVING AIRCRAFT TO TAXI IN, AND EXPECTED TAXI TIME WILL BE PROVIDED.

**A0592/19** 1903060239/1906080100 ATIS FREQ 127.8MHZ OPR FREQ CHANGED TO 133.6MHZ

**A0593/19** 1903060242/1906080100 A/G FAC ARR FREQ 133.6MHZ OPR FREQ CHANGED TO 121.1MHZ

**A0846/19** 1904110339/1907100330 LOCAL TRAFFIC REGULATIONS CHG AS FLW:  
6.TAXI PROCEDURES  
ITEM 6.1, 6.3, 6.5 AND 6.8 THE STANDARD TAXI ROUTES FOR DEPARTING AND ARRIVING AIRCRAFT SHALL NOT BE  
PROVIDED DUE TO THE EXISTING OF CONSTRUCTION AREAS AND TAXIWAY CLOSURES. THE DETAILED TAXI  
INSTRUCTIONS AS DESCRIBES IN ITEM 6.2, 6.4, 6.6 AND 6.7 SHALL BE APPLICABLE.  
REF AIP VTBS AD 2-37

**A0847/19** 1904110342/1907100330 SIMULTANEOUS PARALLEL DEPARTURES ARE IN OPERATIONAL TRIAL  
AT SUARNABHUMI INTERNATIONAL AIRPORT. THE RUNWAYS SHALL BE  
USED AS FLW:  
1. RWY 19L AND RWY 01L ARE USED MAINLY FOR DEPARTURES.  
2. RWY 19R IS APPROVED, UNDER ATC CONSIDERATION, FOR ONLY WESTBOUND AND SOUTHBOUND DEPARTURES.  
ACFT WILL BE INSTRUCTED TO TURN RIGHT HDG220 IMMEDIATELY AFTER AIRBORNE.  
3. RWY 01R IS APPROVED, UNDER ATC CONSIDERATION, FOR ONLY EASTBOUND, NORTHEASTBOUND, SOUTHBOUND  
AND SOUTHEASTBOUND DEPARTURES. ACFT WILL BE INSTRUCTED TO TURN RIGHT HDG050 IMMEDIATELY AFTER  
AIRBORNE

**A1040/19** 1905031145/1908032359 OPERATIONAL IMPLEMENTATION TO ENHANCE SAFETY AND TRAFFIC FLOW  
IN BANGKOK FIR DEPARTING AND ARRIVING AIRCRAFT FM VTBS VIA VKB AND FM VKB TO VTBS ARE REQUIRED TO FILE  
FLIGHT PLAN AS FLW:  
A) DEPARTING : KIGOB Y11 GOLUD M751 VKB OR KIGOB M904 PIDEL Y11  
GOLUD M751 VKB  
B) ARRIVING : VKB M644 ALUMO Y12 ALEMI  
C) IN CASE OF VT D71 ACT : RYN M644 VKB AND VICE VERSA

**A1147/19** 1905160910/1908090600 VISUAL DOCKING GUIDANCE SYSTEM (VDGS) U/S DUE TO MAINT AS FLW:  
ACFT STAND NR 118  
ACFT STAND NR 512  
ACFT STAND NR 523  
ACFT STAND NR 524 AND  
ACFT STAND NR 525  
RMK/ACFT HAVE TO FLW MARSHALLING SIGNALS STRICTLY

**A1148/19** 1905210000/1908172359 ACFT STAND NR D4 AND NR D5 CLSD DUE TO WIP

**A1149/19** 1905210000/1908172359 OBST MOBILE CRANE MAX HGT 40M (131.20FT) AGL OR 41.8M (137.10FT)  
AMSL RADIUS 28M OPR WI AREA BOUNDED BY THE FLW POINT:  
134128.28N1004502.97E-134125.81N1004502.74E-134126.55N1004459.64E-  
134128.98N1004500.16E-134128.28N1004502.97E  
RMK/CRANES WILL BE MARKED AND LGTD

**A1159/19** 1905172000/1908200500 DLY 2000-0500 SUVARNABHUMI A-CDM TRIAL OPERATION WILL TAKE PLACE AT SUVARNABHUMI AIRPORT FROM 17 MAY 2019 TO 20 AUGUST 2019 FROM 2000 TO 0500 UTC DAILY.  
 - DEPARTURE FLIGHTS FROM SUVARNABHUMI AIRPORT WITH EOBT FROM 2000 TO 0500 UTC ARE REQUIRED TO PARTICIPATE IN THE A-CDM TRIAL OPERATION.  
 - AIRCRAFT OPERATOR (AO) / GROUND HANDLER (GH) ARE TO REPORT AND UPDATE TOBT (TARGET OFF-BLOCK TIME) BY IDEP WEB-BASED APPLICATION (WWW.AEROTHAI.AERO) OR BY SMS VIA DIGITAL TRUNKED RADIO SYSTEM.  
 - TARGET START-UP APPROVAL TIME (TSAT) WILL BE CALCULATED AND DISTRIBUTED TO AIRCRAFT OPERATOR (AO) / GROUND HANDLER (GH) VIA THE SAME REPORTING CHANNELS AS TOBT.  
 - PILOT SHALL ENSURE THAT THE AIRCRAFT WILL BE READY FOR PUSH BACK AT TOBT.  
 - PILOT SHALL CONTACT GROUND CONTROL FOR START-UP AND PUSH BACK WITH IN TSAT WINDOW (+/- 5 MINS)  
 - IF PILOT CONTACT GROUND CONTROL FOR START-UP AND PUSH BACK AFTER TSAT WINDOW, TSAT WILL BE EXPIRED. PILOT SHALL NOTIFY THE AO/GH TO UPDATE THE TOBT FOR A NEW TSAT.  
 - FOR DETAILED INFORMATION AND MANUAL, PLEASE CONTACT AT BKK.ACDM AT AEROTHAI.CO.TH

**A1246/19** 1905310200/1906010200 TWY CLSD DUE TO WIP DETAIL AS FLW:  
 -TXL T8 BEHIND ACFT STAND NR C2  
 -TXL T12 BEHIND ACFT STAND NR D1-D3  
 RMK/ ACFT STAND NR C2 AND D1-D3 NOT AVBL

**A1264/19** 1905311900/1906032300 MAY 31 JUN 01 AND 03 1900-2300 RWY 01R/19L CLSD DUE TO WIP

**A1265/19** 1906011900/1906012300 TWY CLSD DUE TO WIP DETAIL AS FLW:  
 -TWY B BTN TWY B4 AND TWY B6  
 -TWY B5  
 -TWY C BTN TWY C6 AND TWY C8  
 -TWY C7  
 -TWY H BTN TWY H4 AND TWY C

**A1268/19** 1906040300/1906040700 TWY CLSD DUE TO WIP DETAIL AS FLW:  
 -TWY D BEHIND ACFT STAND NR 517-525  
 -TWY D1  
 -TWY E BTN TWY D1 AND TWY D2  
 RMK/ACFT STAND NR 518 NOT AVBL

**A1269/19** 1906021900/1906022300 TWY CLSD DUE TO WIP DETAIL AS FLW:  
 -TWY G BTN TXL T7 AND TXL T10  
 -TWY H3  
 -TXL T8 BEHIND ACFT STAND NR C8 AND C10  
 -TXL T9 BEHIND ACFT STAND NR 303 AND 304

**VTBU (RAYONG/U-TAPAO PATTAYA INTL AIRPORT)**

**A1018/19** 1906011700/1906082200 DLY 1700-2200 RWY 18/36 CLSD DUE TO WIP EXC EMERG FLT

**A1247/19** 1905301010/1906301100 NDB UP 414KHZ ON TEST,DO NOT USE

**A1248/19** 1905301015/1906301100 TACAN BUT CH105 U/S DUE TO MAINT

**A1249/19** 1905301020/1906301100 ILS MM 75MHZ RWY 18 U/S DUE TO MAINT

**A1250/19** 1905301028/1906301100 PAPI RIGHT SIDE RWY 18 ON TEST, DO NOT USE

**A1251/19** 1905301032/1906301100 PAPI LEFT SIDE RWY 18 ON TEST, DO NOT USE

**A1252/19** 1905301035/1906301100 BIRD CONCENTRATION IN THE VICINITY OF AD

**A1253/19** 1905301040/1906301100 SALS RWY 36 U/S DUE TO MAINT

**A1254/19** 1905301042/1906301100 MSSR U/S DUE TO MAINT

**A1255/19** 1905301045/1906301100 PAPI LEFT SIDE RWY 36 ON TEST, DO NOT USE

**A1256/19** 1905301052/1906301100 DISTANCE MARKER SIGN LGT RWY 18/36 U/S DUE TO MAINT

**A1257/19** 1905301058/1906301100 I LS GP 331.7MHZ RWY 18 ON TEST, DO NOT USE

**A1258/19** 1905301108/1906301100 ABN U/S

**VTCC (CHIANG MAI/CHIANG MAI INTL AIRPORT)**

**A0200/18** 1802010000/PERM REF AIRAC AIP AMDT 2/18 WITH EFFECTIVE ON 1 FEBRUARY 2018 ON PAGE ENR 1.6-4, KARAE HOLDING POINT FOR RADAR SERVICE IN CHIANGMAI TERMINAL CONTROL AREA IS TO REPLACE LANNA IN TMA CHART VTCC AD 2-35 04 JAN 18

**A0620/19** 1903110917/1906111000 11 0917-1000 12 MAR-11 JUN 0100-1000 RTAF HANGAR CONST WIP PSN  
184625N0985756E BTN TWY P3 AND TWY P4 DIST 25M EAST FM EDGE OF TWY P

**A0708/19** 1903250315/1906211000 AVIATION BRIDGE ACFT STAND NR 6 AVBL FOR ACFT TYPE A319 A320 AND  
A321 ONLY

**A0709/19** 1903250320/1906211000 BIRD CONCENTRATION IN THE VICINITY OF AD

**A0710/19** 1903250322/1906211000 LIMITED OF PARKING AREA AT CHIANG MAI INTERNATIONAL AIRPORT  
CONGESTION ACFT MAY BE PARK AT TWY Q

**A0982/19** 1904290350/1906121000 VISUAL DOCKING GUIDANCE SYSTEM (VDGS) ACFT STAND NR 8 U/S

**A1026/19** 1905030215/1907261100 DLY 0100-1100 OBST MOBILE CRANE ERECTED AT 184547N0985737E ON LEFT  
SIDE OF RWY 36 DIST 270M FM RCL AND 1260M FM THR RWY 36, HGT 82FT AGL

**A1130/19** 1905150633/1908091000 IN ORDER TO PREVENT DAMAGE TO RWY SURFACE, ALL ACFT ABOVE  
CODE B ARE NOT ALLOWED TO USE RWY 36 INTERSECTION TAKE OFF TWY G UNLESS ATC ASSIGNS ONLY ACFT CODE  
C TO EXPEDITE FLOW OF TRAFFIC

**A1261/19** 1905310215/1908310130 RVR RWY 18 U/S

**VTCT (CHIANG RAI/MAE FAH LUANG-CHIANG RAI INTL AIRPORT)**

**A0773/19** 1904040100/1906301000 DLY 0100-1000 OBST MOBILE CRANE HGT 50FT AGL ERECTED AT  
195552.38N0995225.89E ON FINAL RWY 03

**A1221/19** 1905270931/1908240730 IN ORDER TO PREVENT OF TWY A SURFACE, PILOT SHALL FLW TWY CL  
MARKING STRICTLY

**VTSG (KRABI)**

**A1000/12** 1203312330/PERM AIRCRAFT STANDS INSTALLED AND OPERATE AS FLW  
AIRCRAFT STAND NR CO-ORDINATES AIRCRAFT UP TO  
1 080554.8N 0985853.4E B747  
2 080553.7N 0985855.8E B747  
3 080551.8N 0985857.6E B747  
4 080548.8N 0985858.2E B747  
5B 080548.5N 0985900.4E B737  
5 080548.0N 0985900.8E B747  
5A 080547.5N 0985901.2E B737  
6B 080546.5N 0985902.0E B737  
6 080546.1N 0985902.4E B747  
6A 080545.6N 0985902.8E B737  
7B 080544.6N 0985903.6E B737  
7 080544.1N 0985904.0E B747  
7A 080543.8N 0985904.4E B737

**A0694/19** 1903220905/1906220900 NW APRON EDGE LGT U/S DUE TO WIP

**A0725/19** 1903270502/1906301700 BIRD CONCENTRATION IN THE VICINITY OF AD

**A0726/19** 1903270509/1906301700 VISUAL DOCKING GUIDANCE SYSTEM (VDGS) ACFT STAND NR 3 U/S  
**A0742/19** 1903291700/1906301700 DUE TO RWY STRIP RENOVATION ON LEFT SIDE OF RWY 32  
BTN TWY A AND TWY C, ACFT IN THE VICINITY SHALL TAKE CAUTION

**A0784/19** 1904020425/1907021700 NDB KB 299KHZ UNUSABLE ON BRG009 DIST BEYOND 40NM  
FM NDB ALT 8000FT

**A0851/19** 1904161700/1906151700 CONSTRUCTION WORKS ON EXTENDING WEST SIDE OF MAIN APRON EDGE  
RMK/WORK SITES WILL BE PROTECTED BY BARRICADES

**A0874/19** 1904171700/1907172200 DLY 1700-2200 RWY 14/32 CLSD

**A1100/19** 1905130308/1908130225 LOW LEVEL WIND SHEAR ALERT SYSTEM (LLWAS) OPR 5 POLE  
(POLE NR3 ON NOT AVBL)

**A1169/19** 1905171510/1908171500 ILS GP FREQ 334.4MHZ RWY 32 UNUSABLE BEYOND 6 DEG  
RIGHT OF LOC COURSE



## **VTSP (PHUKET/PHUKET INTL AIRPORT)**

**A4629/13** 1312290305/PERM THE ARRIVAL CONTROL AIRSPACE WILL BE ESTABLISHED FOR OPERATION TO PROVIDE AIR TRAFFIC SERVICES FOR ARRIVING AIRCRAFT WITHIN PHUKET TMA AND PHUKET CTR THE DETAILS ARE AS FOLLOWS:

1. UNIT PROVIDING SERVICE: PHUKET APPROACH CONTROL RADAR ARRIVAL
2. CALL SIGN: PHUKET ARRIVAL
3. FREQUENCY: 120.7MHZ
4. TYPE OF SERVICE: RADAR SERVICE ONLY
5. THE AREA OF RESPONSIBILITY: THE DETAILS ARE AS FOLLOWS:

### 5.1 LANDING RWY 09

THE AIRSPACE WITHIN THE AREA DEFINED BY THE STRAIGHT LINE FROM PUT DVOR/DME (080654.83N0981822.69E) TO RDL220/30 DME THENCE CLOCKWISE BY THE ARC OF 30 DME RADIUS CENTRE OF PUT TO PUT RDL310/30 DME THENCE STRAIGHT LINE TO PUT DVOR/DME ALTITUDE FROM GND UP TO 6000FT WITHIN 10 DME AND ALTITUDE 2000FT UP TO 6000FT BTN 10-30 DME

### 5.2 LANDING RWY 27

THE AIRSPACE WITHIN THE AREA DEFINED BY THE STRAIGHT LINE FROM PUT DVOR/DME (080654.83N0981822.69E) TO RDL040/30 DME THENCE CLOCKWISE BY THE ARC OF 30 DME RADIUS CENTRE OF PUT TO PUT RDL130/30 DME THENCE STRAIGHT LINE TO PUT DVOR/DME ALTITUDE FROM GND UP TO 6000FT WITHIN 10 DME AND ALTITUDE 2000FT UP TO 6000FT BTN 10-30 DME

**A0606/19** 1903080500/1906080500 HELICOPTER OPS:

1. ALL HELICOPTER OPR IN PHUKET INTL AIRPORT SHALL BE TREATED AS FIXED WING ACFT AND SHALL STRICTLY FLW ATC INSTRUCTION
2. WHILE HELICOPTERS ARE OPR ON THE MANOEUVRING AREA, EXTREME CAUTION MUST BE EXER REGARDING WINGTIP CLR AND TURB

**A0677/19** 1903201210/1906201000 TAXI GUIDANCE SIGN TWY A (BEACH SIDE) U/S

**A0895/19** 1904181013/1907181000 VISUAL DOCKING GUIDANCE SYSTEM (VDGS) ACFT STAND NR 32L U/S RMK/ACFT HAVE TO FLW MARSHALLING SIGNALS STRICTLY

**A0947/19** 1904250355/1907250200 BIRD CONCENTRATION IN THE VICINITY OF AD

**A1020/19** 1905020440/1908021000 OBST ERECTED DETAIL AS FLW :

1. TREE AT 080638.8N0981843.41E DIST 930M BEYOND THR RWY 09, 210M SOUTH OF RCL, HGT 104FT
2. ELECTRIC POLE AT 080646.01N0981941.19E DIST 270M BEYOND THR RWY 27, 160M SOUTH OF RCL, HGT 42FT

**A1052/19** 1905070150/1908070330 LOW LEVEL WIND SHEAR ALERT SYSTEM (LLWAS) NOT AVBL

**A1053/19** 1905070157/1908070330 RVR RWY 09/27 U/S

**A1179/19** 1905200615/1908200700 VISUAL DOCKING GUIDANCE SYSTEM (VDGS) ACFT STAND NR 40 U/S RMK/ACFT HAVE TO FLW MARSHALLING SIGNALS STRICTLY

**A1213/19** 1905251140/1906052300 DUE TO AIR TRAFFIC CONTROL TOWER RENOVATION AND AERODROME CONTROL SERVICE MOVE TO OPERATE IN TEMPORARY CONTROL ROOM WITH LIMITED VISION BETWEEN RADIAL R110-R250 PUT DVOR, ALL AIRCRAFT MAY EXPERIENCE SOME INCONVENIENCES, ESPECIALLY AS USING AERODROME TRAFFIC CIRCUIT NORTH ONLY FOR LANDING, OVERFLYING AND TRAINING PURPOSE, RWY 09 BY ENTERING LEFT TRAFFIC CIRCUIT AND RWY 27 BY ENTERING RIGHT TRAFFIC CIRCUIT

**A1240/19** 1905291115/1906031100 SEQUENCED FLG LGT RWY 27 U/S DUE TO MAINT

**A1242/19** 1905291520/1906051700 ACFT STAND NR 12 AVBL FOR ACFT CODE LETTER C

**A1244/19** 1906120200/1906130500 12 0200-0500 AND 13 0300-0500 FIRE FIGHTING EXER WILL TAKE PLACE APRX 750M BEYOND THR RWY 27 AND 200M RIGHT SIDE OF RCL

**A1271/19** 1905310920/1908312359 ILS GP FREQ 333.8MHZ RWY 27 UNUSABLE BEYOND 6 DEG RIGHT OF LOC COURSE

## **VTSS (SONGKHLA/HAT YAI INTL AIRPORT)**

**A0162/10** 1001150642/PERM ALL IAC-ICAO TWR 236.6MHZ AMD TO READ 275.8MHZ REF AIP VTSS AD 2.24/PAGES VTSS AD 2-27, 2-29, 2-31, 2-33 AND 2-35

**A0721/10** 1003231005/PERM IAC VOR RWY26 AMD AS FLW:

1. FAF R-086 AMD R-084 065632.15N1003017.76E AMD 065646.81N1003016.48E

2. IF R-086 AMD R-084  
065653.07N1003518.70E AMD 065718.22N1003516.51E  
3. TWR: 118.1, 236.6 AMD 118.1, 275.8  
REF AIP VTSS AD 2-33 DATED 19 NOV 09

**A2291/15** 1509090900/PERM ILS MM 75MHX RWY 26 COMPLETELY WITHDRAWN  
REF AIP VTSS AD 2-14

**A0332/16** 1602180238/PERM THE FINAL APPROACH FIX (FAF) IS REVISED FROM R-086/7D HTY  
TO BE R-084/7D HTY THE INTERMEDIATE FIX (IF) IS REVISED FROM R-086/12D HTY TO BE R-084/12D HTY  
REF AIP VTSS AD 2-37 DATED 25 JUL 13, VOR RWY26

**A0622/19** 1903120307/1906141100 DVOR/DME HTY 115.3MHZ/CH100X UNUSABLE ON RDL266 DIST 9.0-10.5 DME  
ALT 5000FT

**A0821/19** 1904080135/1907081000 VISUAL DOCKING GUIDANCE SYSTEM (VDGS) ACFT STAND NR 2  
NR 3 AND NR 4 U/S DUE TO MAINT  
RMK/ACFT HAVE TO FLW MARSHALLING SIGNALS STRICTLY

**A0839/19** 1904100704/1907091000 ALL ACFT CODE LETTER C AND HIGHER ARE NOT ALLOWED  
TO MAKE 180 DEGREE TURN ON RWY

**A0912/19** 1904220540/1907211000 BIRD CONCENTRATION IN THE VICINITY OF AD

**A0913/19** 1904220550/1907211000 OBST TREE ERECTED DETAIL AS FLW:  
-ABEAM THR RWY 26, 261.59M RIGHT SIDE FM RCL HGT 115FT AGL AT 065612.12N1002425.67E  
-1476M BEYOND THR RWY 26, 252.43M LEFT SIDE FM RCL HGT 115FT AGL AT 065549.72N1002342.14E

**A0986/19** 1904290838/1907291100 ILS GP 333.8MHZ RWY 26 NOT COINCIDENT WITH PAPI  
STARTING AT 0.7 DME

**LATEST AIRAC AIP AMENDMENT : 7/19 DATED 09 MAY 2019**

**AIP SUPPLEMENT SERIES A IN FORCE:**

**2001 : A7**

**2014 : A14**

**2017 : A10 A13 A16 A17 A18 A19 A21 A22 A23 A24 A33 AND A40**

**2019 : A1 A6 A8 A9 A10 A11 A12 A13 AND A14**

**2011 : A4 A7 AND A16**

**2016 : A17 A24 A31 AND A32**

**2018 : A11 A17 AND A21**

**AIC IN FORCE:**

**2001 : 2**

**2008 : 2**

**2016 : 1 AND 6**

**2019 : 1**

**2003 : 1**

**2014 : 1**

**2018: 4 5 6 AND 7**

**-- END OF SUMMARY --**